



Malaysia

Electrolux Home Appliances Sdn Bhd
Co. No. 198801008304 (175660-T)

address: Unit T2-L7, Level 7, Tower 2, PJ 33,
No. 3, Jalan Professor Khoo Kay Kim,
Seksyen 13, 46200 Petaling Jaya,
Selangor, Malaysia.

telephone: (+603) 7843 5999

fax: (+603) 7955 5511

website: electrolux.com.my

facebook: facebook.com/ElectroluxMalaysia

instagram: instagram.com/electroluxmy



CONSUMER CARE CENTRE

address: Lot C6, No. 28, Jalan 15/22,
Taman Perindustrian Tiong Nam,
Seksyen 15, 40200 Shah Alam,
Selangor Darul Ehsan, Malaysia.

hotline: 1300 88 1122

fax: (+603) 5524 2521

e-mail: malaysia.customercare@electrolux.com

Dealer's Stamp

Version: 2023-06



Refrigeration

Confidence to create
great taste



Our belief

We believe it's time for a taste revolution.

By changing the way we source, treat and eat food, we can improve the effects on both our health and our planet. Even small changes in behaviour can make a big impact for the netter. Because few things are more pleasurable than sharing a delicious meal. That's why we champion those who are passionate about taste and want to cook and enjoy more mindfully.



Swedish thinking.
Better living.



Refrigeration

TasteSealPlus

Tailor the TasteSealPlus temperature from -2°C to 3°C to adapt to specific produce needs for precise storage that helps retain freshness, flavour, and nutrients, effortlessly.

Choose 3°C for cheese and deli meats and 0°C for icy cold drinks. Keep meat and fish fresh and tender for up to 7 days* by storing at -2°C . By avoiding defrosting, meat stored at -2°C can retain protein levels at up to 98% for up to 3 days*.

**Test by Intertek Thailand Laboratory on protein retention in meat after 3 days storage at -2°C .*

Four drawer storage system


Four-drawer storage system creates optimal conditions for specific food preservation needs.

We protect food quality by delivering on the 3 key elements of preservation



Regular freezer storage


TasteSeal storage



Sealed environment

Tender meat and delicious seafood, always stored and cooked from fresh. The TasteSeal compartment maintains a consistent temperature of -2°C to keep your best ingredients in prime condition for up to 7 days* without freezing. This means that you can always cook from fresh to serve meat and seafood that is juicy in texture, bright in colour, and delicious in taste.

* Passed TUV Rheinland testing of microbiology plate count in salmon, chicken, and beef. Average weight loss <2% after 7 days. Sample tested EBB3702K.



Right humidity


TasteLockAuto maintains a humid environment to keep fruits and vegetables fresh and bursting with flavour for up to 7 days.

This membrane is spun HDPE threads that are pressed to form a sheet which allows water vapor and gases to pass through



Stable temperature

EvenTemp keeps your food tasty for longer by minimising temperature fluctuations. By cooling each shelf individually, a consistent temperature is maintained throughout the entire compartment, preserving taste and texture for longer.





Multidoor features

Intuitive door design

With optimally split doors you have more usable space in your refrigerator door and can effortlessly reach for larger items, saving you the need to open both doors every time.

Fresh is best

Our innovative TasteLock crispers automatically control the humidity levels to keep your fruit and vegetables at their best for longer. While Easy-glide crisper drawers open effortlessly, even when they're full.

Thirst-quencher

Like a cool glass of pure, filtered water on cubed, or crushed ice? Your fridge is there to deliver, any time of the day or night – at the touch of a button. And you'll find the compact ice maker makes hot summer days or dinner parties a breeze.

Smart on space

The thoughtful Slide-back and Flip-up shelving means you can store that two-tiered birthday cake for the big moment, no problem.

SnackZone

The SnackZone is the ideal compartment for keeping those smaller ingredients separate for easy access such as fruit for your morning smoothie allowing you to be prepared before the week begins.

(Some features not available on all models.)



TasteLockAuto maintains a humid environment to keep fruit and vegetables fresh and bursting with flavour for up to 7 days. A membrane automatically releases excess moisture to reduce condensation and stop your produce from spoiling early.



TasteGuard deodoriser uses a carbon filter to keep your fridge fresh, hygienic, and free from unwanted odours that can change the taste and smell of your food



TwinTech Cooling consists of two independent cooling systems that work together to keep your fridge functioning at its best, every day. One system keeps your freezer chilled, while the other controls the refrigerator to keep temperature & humidity levels stable.

609L UltimateTaste 900
French Door Refrigerator

Overall dimensions

Features

EQE6879A-B

913W x 1782H x 749D (mm)

- TasteSealFlex -23°C to 7°C
- TasteLockAuto
- TwinTech Cooling
- WaterStream with AutoIce
- TasteGuard Deodoriser
- Inverter Technology
- FlexStor



Scan for
product video

562L UltimateTaste 700
French Door Refrigerator

Overall dimensions

Features

EQE5660A-B NEW

896W x 1795H x 726D (mm)

- TasteLockAuto
- TasteSealPlus
- TasteGuard Ioniser
- AutoIce
- WaterStream
- Inverter Technology
- EvenTemp Metal Multiflow
- Four Drawer Food Storage



Scan for
product video

562L UltimatTaste 700
French Door Refrigerator

Overall dimensions

Features

EQE5600A-S NEW

896W x 1795H x 726D (mm)

- TasteLockAuto
- TasteSealPlus
- TasteGuard Ioniser
- Inverter Technology
- EvenTemp Metal Multiflow
- Four Drawer Food Storage



496L UltimatTaste 700
French Door Refrigerator

Overall dimensions

Features

EQE4900A-B NEW

836W x 1780H x D702 (mm)

- TasteLock Dual Crisper
- EvenTemp
- Inverter Technology
- QuickChill
- QuickFreeze





619L UltimatTaste 300
Side by Side Refrigerator

ESE6645A-BMY

Overall dimensions

911W x 1780H x 746D (mm)

Features

- TasteLock
- TasteGuard deodoriser
- WaterStream
- NutriFresh inverter
- EvenTemp
- Twist and Serve ice maker
- QuickChill
- QuickFreeze
- Door alarm

571L UltimatTaste 300
Side by Side Refrigerator

ESE6141A-BMY

Overall dimensions

911W x 1780H x 706D (mm)

Features

- TasteLock
- TasteGuard deodoriser
- WaterStream
- NutriFresh inverter
- EvenTemp
- Twist and Serve ice maker
- QuickChill
- QuickFreeze
- Door alarm



577L UltimatTaste 300
Side by Side Refrigerator

ESE6101A-BMY

Overall dimensions

911W x 1780H x 706D (mm)

Features

- TasteLock
- TasteGuard deodoriser
- NutriFresh inverter
- EvenTemp
- Twist and Serve ice maker
- QuickChill
- QuickFreeze
- Door alarm



Top & bottom mount features

Fresh is best

Our innovative TasteLock crispers automatically control the humidity levels to keep your fruit and vegetables at their best for longer. While Easy-glide crisper drawers open effortlessly, even when they're full.

Increase the chill

With a combination of Fast Ice and Boost mode you will always be prepared when entertaining. After a large shop, Boost Mode increases the chill rate of the refrigerator for 90 minutes whilst the Fast Ice function lowers the freezer to -23°C for 12 hours, before returning to their preset temperatures, to ensure your produce stays fresher longer.


Keep it cool

The fridge door is one of the most opened in any household, which is why we came up with EvenTemp technology to help maintain the perfect temperature inside your fridge. It automatically detects when it needs to begin cooling, keeping the temperature down to lock the freshness in.

Designed just for you

Customise your fridge just the way you want it. FlexStor makes it simple to arrange the fridge to your needs with adjustable door bins and shelves. Different sized compartments effortlessly accommodate items big or small.

(Some features not available on all models.)



Fresh meat and fish, all week

Tender meat and delicious seafood, always stored and cooked from fresh. The TasteSeal compartment maintains a consistent temperature of -2°C to keep your best ingredients in prime condition for up to 7 days without deep freezing.



431L-503L UltimatTaste 500 Top Freezer Refrigerator

- ETB5400B-A** **503L** ●
ETB5400B-H **503L** ●
ETB4600B-A **431L** ●



Overall dimensions

- 796W x 1725H x 723D (mm)
796W x 1725H x 723D (mm)
699W x 1725H x 723D (mm)



Features

- TasteLockPlus
- EvenTemp
- ChillRoom
- TasteGuard deodoriser
- FlexStor
- NutriFresh inverter
- Twist and Serve ice maker
- QuickChill

312L - 341L UltimatTaste 300 Top Freezer Refrigerator

- ETB3700K-A** **341L** ●
ETB3400K-H **312L** ●
ETB3400K-A **312L** ●



Overall dimensions

- 598W x 1755H x 650D (mm)
598W x 1645H x 650D (mm)
598W x 1645H x 650D (mm)



Features

- TasteSeal -2°C
- TasteLockAuto
- EvenTemp
- TasteGuard deodoriser
- TasteSeal metal tray
- Twist and Serve ice maker
- NutriFresh inverter

312L - 341L UltimatTaste 300 Top Freezer Refrigerator

- ETB3740K-H** **341L** ●
ETB3440K-H **312L** ●



Overall dimensions

- 598W x 1755H x 650D (mm)
598W x 1645H x 650D (mm)



Features

- TasteSeal -2°C
- TasteLockAuto
- WaterStream
- EvenTemp
- TasteGuard deodoriser
- TasteSeal metal tray
- Twist and Serve ice maker
- NutriFresh inverter

210L - 256L UltimatTaste 300 Bottom Freezer Refrigerator

- ETB2802J-A** **256L** ●
ETB2502J-A **225L** ●
ETB2302J-A **210L** ●



Overall dimensions

- 540W x 1605H x 615D (mm)
540W x 1470H x 615D (mm)
540W x 1405H x 615D (mm)



Features

- TasteSeal -2°C
- TasteLock
- EvenTemp
- TasteGuard deodoriser
- Twist and Serve ice maker
- NutriFresh inverter
- FlexStor

425L UltimatTaste 500
Bottom Freezer Refrigerator

EBE4500B-A ●



Overall dimensions

699W x 1725H x 723D (mm)



Features

- TasteLockPlus
- EvenTemp
- Spacious freezer
- TasteGuard deodoriser
- FlexStor
- NutriFresh inverter
- Twist and Serve ice maker
- QuickFreeze

335L UltimatTaste 300
Bottom Freezer Refrigerator

EBB3702K-H ●



Overall dimensions

598W x 1755H x 650D (mm)



Features

- TasteSeal -2°C
- TasteLockAuto
- EvenTemp
- TasteGuard deodoriser
- TasteSeal metal tray
- Twist and Serve ice maker
- Spacious Freezer
- NutriFresh inverter

335L UltimatTaste 300
Bottom Freezer Refrigerator

EBB3742K-A ●



Overall dimensions

598W x 1755H x 650D (mm)



Features

- TasteSeal -2°C
- TasteLockAuto
- WaterStream
- EvenTemp
- TasteGuard deodoriser
- TasteSeal metal tray
- Twist and Serve ice maker
- Spacious Freezer
- NutriFresh inverter

335L UltimatTaste 300
Bottom Freezer Refrigerator

EBB3702K-A NEW ●



Overall dimensions

598W x 1755H x 650D (mm)



Features

- TasteSeal -2°C
- TasteLockAuto
- EvenTemp
- TasteGuard deodoriser
- TasteSeal metal tray
- Twist and Serve ice maker
- Spacious Freezer
- NutriFresh inverter

top mount



ETB2302J-A



ETB2502J-A



ETB2802J-A



ETB3400K-A



ETB3400K-H



ETB3440K-H



ETB3700K-A



ETB3740K-H



ETB4600B-A



ETB5400B-A



ETB5400B-H

specifications											
gross capacity (litres)	230	245	275	331	331	331	360	360	460	536	536
net capacity (litres)	210	225	256	312	312	312	341	341	431	503	503
fridge / freezer (litres)	148 / 62	163 / 62	194 / 62	238 / 74	238 / 74	238 / 74	267 / 74	267 / 74	329 / 102	383 / 120	383 / 120
door colour	arctic silver	arctic silver	arctic silver	arctic silver	high gloss black	high gloss black	arctic silver	high gloss black	arctic silver	arctic silver	high gloss black
door alarm	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
refrigerant	R600a	R600a	R600a	R600a	R600a	R600a	R600a	R600a	R600a	R600a	R600a
energy rating	5 star	5 star	5 star	5 star	5 star	5 star	5 star	5 star	5 star	5 star	5 star
fridge features											
chiller	TasteSeal	TasteSeal	TasteSeal	TasteSeal with metal tray	TasteSeal with metal tray	TasteSeal with metal tray	TasteSeal with metal tray	TasteSeal with metal tray	Chill room	Chill room	Chill room
crisper	TasteLock	TasteLock	TasteLock	TasteLockAuto	TasteLockAuto	TasteLockAuto	TasteLockAuto	TasteLockAuto	TasteLockPlus	TasteLockPlus	TasteLockPlus
cooling system	EvenTemp	EvenTemp	EvenTemp	EvenTemp	EvenTemp	EvenTemp	EvenTemp	EvenTemp	EvenTemp	EvenTemp	EvenTemp
inverter compressor	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
water dispenser						4L tank		4L tank			
ice maker	Twist & serve	Twist & serve	Twist & serve	Twist & serve	Twist & serve	Twist & serve	Twist & serve	Twist & serve	Twist & serve	Twist & serve	Twist & serve
tasteguard	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
flexstor	yes	yes	yes						yes	yes	yes
others											
product dimension (mm)	540W x 1405H x 615D	540W x 1470H x 615D	540W x 1605H x 615D	598W x 1645H x 650D	598W x 1645H x 650D	598W x 1645H x 650D	598W x 1755H x 650D	598W x 1755H x 650D	699W x 1725H x 723D	796W x 1725H x 723D	796W x 1725H x 723D

bottom mount



EBB3702K-A



EBB3702K-H



EBB3742K-A



EBE4500A-B

multidoor



EQE4900A-B



EQE5600A-S



EQE5660A-B



EQE6879A-B

side by side



ESE6101A-BMY



ESE6141A-BMY




ESE6645A-BMY

gross capacity (litres)	360	360	360	453		634	634	680	606	606	646
net capacity (litres)	335	335	335	421	496	562	562	609	577	571	619
fridge / freezer (litres)	250 / 85	250 / 85	250 / 85	296 / 125	310 / 186	409 / 153	409 / 153	371 / 147 / 91	381 / 196	375 / 196	402 / 217
door colour	arctic silver	high gloss black	arctic silver	arctic silver	glossy dark steel	brush neutral steel	matt charcoal black	glossy dark grey stainless steel	matt black	matt black	black glass
door alarm	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
refrigerant	R600a	R600a	R600a	R600a	R600a	R600a	R600a	R600a	R600a	R600a	R600a
energy rating	5 star	5 star	5 star	5 star							
chiller	TasteSeal	TasteSeal	TasteSeal			TasteSealPlus	TasteSealPlus	TasteSealFlex			
crisper	TasteLockAuto	TasteLockAuto	TasteLockAuto	TasteLockAuto	TasteLock	TasteLockAuto	TasteLockAuto	TasteLockAuto	TasteLock	TasteLock	TasteLock
cooling system	EvenTemp	EvenTemp	EvenTemp	EvenTemp	EvenTemp	EvenTemp	EvenTemp	TwinTech	EvenTemp	EvenTemp	EvenTemp
inverter compressor	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
water dispenser		-	4L tank				3.5L Tank	3L tank		2L tank	2L tank
ice maker	Twist & serve	Twist & serve	Twist & serve	Twist & serve	Twist & serve	Twist & serve	AutoIce	AutoIce	Twist & serve	Twist & serve	Twist & serve
tasteguard	yes	yes	yes	yes		yes	yes		yes	yes	yes
flexstor								yes			
product dimension (mm)	598W x 1755H x 650D	598W x 1755H x 650D	598W x 1755H x 650D	699W x 1725H x 723D	836W x 1780H x 702D	896W x 1795H x 726D	896W x 1795H x 726D	913W x 1782H x 749D	911W x 1780H x 706D	911W x 1780H x 706D	911W x 1780H x 746D

Dimension

top mount




(in mm)	w	d	d1	h	c	c1	c2	c3
ETB2302J-A	540	615	540	1,405	350	30	50	30
ETB2502J-A	540	615	540	1,470	350	30	50	30
ETB2802J-A	540	615	540	1,605	350	30	50	30
ETB3400K-A / H	598	650	575	1,645	350	30	50	30
ETB3440K-H	598	650	575	1,645	350	30	50	30
ETB3700K-A	598	650	575	1,755	350	30	50	30
ETB3740K-H	598	650	575	1,755	350	30	50	30
ETB4600B-A	699	723	641	1,725	350	30	50	30
ETB5400B-A / H	796	723	641	1,725	350	30	50	30

bottom mount


(in mm)	w	d	d1	h	c	c1	c2	c3
EBB3702K-A/H	598	650	586	1,755	350	30	50	30
EBB3742K-H	598	650	575	1,755	350	30	50	30
EBE4500A-B	699	723	641	1,725	350	30	50	30

multi door



(in mm)	w	d	d1	h	cL	cR	c1	c2	c3
EQE6879A-B	913	749	625	1,782	260	355	30	50	30
EQE5660A-B	896	726	640	1,795	300	300	30	50	30
EQE5600A-S	896	726	640	1,795	300	300	30	50	30
EQE4900A-B	836	702	610	1,780	350	350	30	50	30

side by side



(in mm)	w	d	d1	h	cL	cR	c1	c2	c3
ESE6101A-BMY	911	706	624	1,780	350	430	30	50	30
ESE6141A-BMY	911	706	624	1,780	350	430	30	50	30
ESE6645A-BMY	911	746	624	1,780	350	430	30	50	30