

#### Malaysia

### Electrolux Home Appliances Sdn Bhd Co. No. 198801008304 (175660-T)

address:	Unit T2-L7, Level 7, Tower 2, PJ 33, No. 3, Jalan Professor Khoo Kay Kim, Seksyen 13, 46200 Petaling Jaya, Selangor, Malaysia.
telephone:	(+603) 7843 5999
fax:	(+603) 7955 5511
website:	electrolux.com.my
facebook:	facebook.com/ElectroluxMalaysia
instagram:	instagram.com/electroluxmy

#### CONSUMER CARE CENTRE

address:	Lot C6, No. 28, Jalan 15/22,
	Taman Perindustrian Tiong Nam,
	Seksyen 15, 40200 Shah Alam,
	Selangor Darul Ehsan, Malaysia.
hotline:	1300 88 1122 / 1800 81 9239
fax:	(+603) 5524 2521
e-mail:	malaysia.customercare@electrolux.com







# Swedish thinking. Better living.

tastes, effortlessly

## A kitchen that knows what matters

At Electrolux, our philosophy is simple: life in the kitchen should be seamless and intuitive. That's why we've developed a new range with smart, sustainable features and clean lines for an effortless experience. So, you can concentrate on the things that make you happy: making and sharing great food with the people you love.

# Swedish thinking. Better living.

R.

N

#### Dishwashing

Our range of quiet, fuss-free dishwashers offer superb results - sparkling dishes, ergonomic stacking and swift cycles, keeping your favourite dishware beautifully clean.



# 

#### Effortless cleaning with SteamClean hood

SteamClean technology makes light work of a once tedious chore. Simply press one button and the hood injects steam to clean all the hard to reach places inside the chimney. By effortlessly removing stubborn grease and grime, the cooker hood maintains efficient air flow to provide you with a more pleasant cooking and dining experience.

#### Lower your utility bills with UltimateTaste gas hobs

The blue flame burns efficiency to turn up the flavours faster, whilst also keeping your energy costs down.

#### Next -level baking with SteamBake ovens

With SteamBake, you can create bakery-style bread in your own home. The added steam allows dough to rise more effectively than conventioal heating. The steam helps to create an exquisitely soft centre, while the combination of hot air delivers deliciously glossy crusts.



# Extra efficient. Extra tasty.

FlameShield trivet efficiently channels intense heat to the cooking process with less heat loss.



# A step in the right direction

StepFlame delivers precise control to three rings of flame with stepped settings that click into place as you change the heat intensity. The pre-defined settings guarantee the same flame and heat level every single time, giving you both control and flexibility. This is perfect for a variety of techniques and dishes from delicately melting chocolate in a bain-marie, to gently simmering sauces or stir-frying rice at high temperatures.

#### High power. Intense flavour.

The high-power burner provides intense heat and a steady flame exactly when you need it most. This is perfect for stir-frying when a very high temperature is needed to lock in the texture and flavour of crunchy vegetables or fried rice.

\*Selected models

# Hobs



#### Gas Hobs

The curved trivet profile works like cradling a candle, cupping the flame and channeling the energy directly onto the bottom of the pan. By directing heat trivet cook tops cook faster and consume less energy

#### Induction Hobs

The coolest way to hob cook, induction is just like cooking by magnetism - heat is only activated when there is a pan on the hob, and it's induction cooking is faster than gas, more energy efficient, and

#### Ceramic Hobs

Engineered to heat up rapidly, our ceramic hobs guarantee you precise heat selection, coupled with Electronic Touch Controls and easy-to read LED displays.

# Gas Hobs

#### Features



#### StepFlame settings deliver precise heat control.

StepFlame delivers precise heat control to help you perfect a variety of techniques and dishes.



#### FlameShield improves efficiency and results.

FlameShield trivet efficiently channels intense heat to the cooking process with less heat loss.



#### High power burner is ideal for stir-frying. The high power burner is ideal for stir-frying crunchy vegetables and tasty rice or noodles.



#### Flame failure cuts off gas supply for your safety.

Flame failure safety device automatically cuts off the gas supply if the flame goes out.



#### Flexi cut-out for easy kitchen installation.

Easy installation into existing kitchen counter cut-outs without additional modifications.



#### Pancake setting for

pancake perfection. Pancake setting delivers even heat distribution to cook pancakes perfectly every time.



#### Durable, easy-to-clean tempered glass surface. The tempered glass surface

makes it easier to clean burnt-on grease and grime.





#### **Blue Flame**

The blue flame burns efficiency to turn up the flavours faster, whilst also keeping your energy costs down.





# Sensor cuts off the flame to prevent burning.



A sensor embedded in the burner cap recognises when the temperature is getting too hot and automatically shuts off the flame to prevent burnt food and fire hazards.







80cm UltimateTaste 700 built-in gas hob with 2 burners

Technical info

EHG8238BC

Product dimensions (mm) 800 (W) x 130 (H) x 508 (D)

Cut-out dimensions (mm)

- High power burner
- Temperature sensor
- Flame failure device
- Cast iron pan supports
- · Tempered glass surface
- One hand ignition
- Pancake setting



# StepFlame settings deliver precise heat control.



StepFlame delivers precise control to three rings of flame with stepped settings that click into place as you change the heat intensity. The pre-defined settings guarantee the same flame and heat level every single time, giving you both control and flexibility. This is perfect for a variety of techniques and dishes from delicately melting chocolate in a bain-marie, to gently simmering sauces or stir-frying rice at high temperatures.

The FlameShield trivet reduces heat-loss to deliver more intense heat to the cooking process, for effortlessly perfecting dishes from curved trivet profile works like cradling a candle with your hands, cupping the flame, and channelling the energy directly onto the bottom of the pan. By directing heat more efficiently, hobs with the FlameShield trivet cook faster and consume less energy than previous models\*, helping you to achieve quick, tasty meals, whilst also lowering your energy bills over time. tion to bring 2L water to boiling point -



#### High power. Intense flavour.

The high-power burner provides intense heat and a steady flame exactly when you need it most. This is perfect for stir-frying when a very high temperature is needed to lock in the texture and flavour of crunchy vegetables or fried rice.

#### Safety shut-off

The flame failure safety device automatically cuts off the gas supply if the flame goes out during cooking. This means you can use your appliance at the lowest power without worrying about the flame extinguishing and leaking gas.

#### Easy installation

The smaller lower box of this cooktop combined with the extended glass overhang and flexible bracket makes installation into existing counter cut-outs easy without additional modifications.

#### Sturdy and stable

Sturdy cast iron supports ensure that your pots and pans are stable while cooking.

#### Effortless cleaning

The flat tempered glass surface makes it easier to clean burnt-on grease and grime to speed up the cleaning process after cooking.

#### Pancakes made to perfection

Take your pancake flipping skills to the next level with our pancake setting. Delivering even heat distribution between the inner and outer flame so you can experience evenly cooked, smooth, delicious pancakes - made to perfection.















90cm UltimateTaste 700
built-in gas hob with 3
burners

90cm UltimateTaste 700 built-in gas hob with 3 burners	Technical info	Features	90cm UltimateTaste 500 built-in gas hob with 3 burners
EHG9351BC	Product dimensions (mm)	<ul> <li>StepFlame</li> <li>FlameShield trivet</li> </ul>	EHG9350BC
	900 (W) x 130 (H) x 520 (D)	High power burner	
	Cut-out dimensions (mm)	Flame failure device	
	700-865 (W) x 405-480 (D)	Flexi installation cut out	
		Semi-rapid burner	
65		Cast iron pan supports	() () () () () () () () () () () () () (
CD CJ C		Tempered glass surface	
HOH = HO		Pancake setting	ROH
		<ul> <li>Burner Power: 5.2kW x 2 / 2.0kW x 1</li> <li>Heat Efficiency: 61%</li> </ul>	
90cm UltimateTaste 700 built-in gas hob with 2 burners	Technical info	Features	80cm UltimateTaste 500 built-in gas hob with 2 burners
EHG9251BC	Product dimensions (mm)	StepFlame	EHG8250BC
	900 (W) x 130 (H) x 520 (D)	FlameShield trivet	
		High power burner	
	Cut-out dimensions (mm)	Flame failure device	
	700-865 (W) x 405-480 (D)	Flexi installation cut out	
		Cast iron pan supports	
		Tempered glass surface	
	1	Pancake setting	
U C	E Company	<ul><li>Burner Power: 5.2kW x 2</li><li>Heat Efficiency: 61%</li></ul>	
.5 5			4 4
80cm UltimateTaste 700 built-in gas hob with 2 burners	Technical info	Features	80cm UltimateTaste 500 built-in gas hob with 2 burners
EHG8251BC	Product dimensions (mm)	StepFlame	EHG8241GE
	800 (W) x 130 (H) x 508 (D)	FlameShield trivet	110024100
	000 (W) x 100 (H) x 000 (D)	High power burner	
	Cut-out dimensions (mm)	Flame failure device	
	630-765 (W) x 350-465 (D)	Flexi installation cut out	
		Cast iron pan supports	
		Tempered glass surface	
		Pancake setting	
		Burner Power: 52kW x 2	

- · Burner Power: 5.2kW x 2
- Heat Efficiency: 61%

Product dimensions 800 (W) x 130 (H) x 5

Technical info

Technical info

#### Cut-out dimensions (

630-765 (W) x 350-4



#### Technical info

Product dimensions 800 (W) x 130 (H) x

Cut-out dimensions 630-765 (W) x 350-



#### Features

Pr	oduct dimensions (mm)	Flam
90	0 (W) x 130 (H) x 520 (D)	High
		Flam
Cu	ut-out dimensions (mm)	Flexi
70	0-865 (W) x 405-480 (D)	Semi
		Cast

- meShield trivet
- h power burner
- me failure device
- xi installation cut out
- ni-rapid burner
- st iron pan supports
- · Tempered glass surface
- · One hand ignition
- · Burner Power: 5.2kW x 2 / 2.0kW x 1
- Heat Efficiency: 61%

#### Features

(mm)	FlameShield trivet
508 (D)	High power burner
	Flame failure device
(mm)	Flexi installation cut out
465 (D)	Cast iron pan supports
	Tempered glass surface
	One hand ignition
	Burner Power: 5.2kW x 2

• Heat Efficiency: 61%

s (mm)	FlameShield trivet
508 (D)	High power burner
	Flame failure device
s (mm)	Flexi installation cut out
-465 (D)	Matt Enamel pan supports
	Tempered glass surface

- · One hand ignition
- Burner Power: 5.2kW x 2
- Heat Efficiency: 61%



A premium European-Engineered design gas hob that has unique square trivet, high heat efficiency and steady blue flame for efficient cooking ensuring delicious result everytime you cook.



#### Blue flame burns efficiently to lower energy cost.

The blue flame burns efficiency to turn up the flavours faster, whilst also keeping your energy costs down.

#### High power burner is ideal for stir-frying.

The high-power burner provides intense heat and a steady flame exactly when you need it most. This is perfect for stir-frying when a very high temperature is needed to lock in the texture and flavour of crunchy vegetables or fried rice.

#### Flame failure cuts off gas supply for your safety.

The flame failure safety device automatically cuts off the gas supply if the flame goes out during cooking. This means you can use your appliance at the lowest power without worrying about the flame extinguishing and leaking gas.

#### Flexi cut-out for easy kitchen installation.

Flexible bracket makes installation into existing counter cut-outs easy without additional modifications.

#### Semi-rapid burners for cooking with low heat.

Semi-rapid burners are ideal for dishes like soups and stews that require lower, more gentle temperatures to perfect. Select a low simmering heat to bring out the best textures and flavours.

#### Cast iron supports keep pots and pans stable.

Sturdy cast iron supports ensure that your pots and pans are stable while cooking.

90cm UltimateTaste 300 built-in gas hob with 3 burners

EHG9331BC

**Technical info** 

**Product dimensions** 

900 (W) x 130 (H) x

Cut-out dimensions 700-865 (W) x 405-



90cm UltimateTaste 300 built-in gas hob with 2 burners

**Technical info** 

EHG9231BC

Product dimensions 900 (W) x 130 (H) x 52

Cut-out dimensions ( 700-865 (W) x 405-4













80cm UltimateTaste 300 built-in gas hob with 3 burners

**Technical info** 

EHG8321BC

Product dimensions 800 (W) x 130 (H) x

Cut-out dimensions 630-765 (W) x 350





#### Features

s (mm)	Blue flame burners
520 (D)	High power burner
	Flame failure device
s (mm)	Flexi installation cut out
-480 (D)	· Semi-rapid burner
	Cast iron pan supports
	Tempered glass surface
	One hand ignition
	$\cdot~$ Burner Power: 5.0kW x 2 / 1.65kW x

• Heat Efficiency: 56%

	Features	
(mm)	Blue flame burners	
520 (D)	High power burner	
	Flame failure device	
(mm)	Flexi installation cut out	
480 (D)	Cast iron pan supports	
	<ul> <li>Tempered glass surface</li> </ul>	
	<ul> <li>One hand ignition</li> </ul>	
	Burner Power: 5.0kW x 2	

Heat	Efficiency:	56%
ncat	cincicitey	00/0

ns (mm)	Blue flame burners
k 508 (D)	High power burner
	Flame failure device
s (mm)	Flexi installation cut out
)-465 (D)	Semi-rapid burner
	Cast iron pan supports
	<ul> <li>Tempered glass surface</li> </ul>
	One hand ignition

Features

- Burner Power: 5.0kW x 2 / 1.65kW x 1
- Heat Efficiency: 56%

17



The stainless steel surface makes it easier to clean burnt-on grease and grime to speed up the cleaning process after cooking.

86cm UltimateTaste 300 built-in gas hob with 3 burners

Technical info

Features

#### EHG933SA

**Product dimensions (mm)** 860 (W) × 510 (D)

Te chnical info

780 (W) x 460 (D)

Product dimensions (mm)

Cut-out dimensions (mm)

**Cut-out dimensions (mm)** 705 (W) x 405 (D)



- High power burner
- · Surface stainless steel
- · Cast iron pan supports
- · Semi-rapid burner
- · Flame failure device
- · Burner Power: 5.0kW x 2 / 1.9kW x 1
- Heat efficiency: 55%
- $\cdot$  One hand ignition



The flat tempered glass surface not only makes it easier to clean burnt-on grease and grime to speed up the cleaning process after cooking, but it is also very durable for added peace of mind.

78cm UltimateTaste 300 built-in gas hob with 2 burners

#### EHG7230BE



Blue flame burners

- · High power burner
- · Matt enamel pan support
- · Tempered glass surface
- · Flame failure device
- · Wide knob rotary
- Burner Power: 4.5kW x 2
- · Heat efficiency: 56%
- $\cdot$  One hand ignition







# Induction hobs

Induction hobs are easy to keep clean. The smooth ceramic surface can be quickly and effortlessly wiped clean, while spillages cannot burn because the area surrounding the pots stays cool. No need to guess which pot you can use - if a magnet sticks to the bottom of the pan, it works. 60cm UltimateTaste 300 built-in induction hob with 4 cooking zones

EHI6450BA

Technical info

**Product dimensions (** 610 (W) x 515 (D)

**Cut-out dimensions (r** 560 (W) x 490 (D)



70cm UltimateTaste 300 built-in induction hob with 2 cooking zones

Technical info

EHI7260BB

Product dimensions ( 700 (W) x 420 (D)

**Cut-out dimensions (r** 680 (W) × 400 (D)



30cm UltimateTaste 300 built-in induction hob with 2 cooking zones

Technical info

EHI325CA

**Product dimensions (** 300 (W) x 520 (D)

**Cut-out dimensions (n** 270 (W) × 490 (D)



	Features
(mm)	· 4 powerful induction zones with
	3.1kW booster
	<ul> <li>Front touch controls</li> <li>Individual timers for each cooking</li> </ul>
(mm)	zones
	Auto Safety cut-off and child lock
	functions
	Individual residual heat indicators
	<ul> <li>9-level Power Setting</li> <li>Black Ceran Glass</li> </ul>
	<ul> <li>Black Certain Glass</li> <li>Cooking Zone Power: 2.3kW/ 1.8kW/</li> </ul>
	1.4kW x 2
	Maximum Power Boost: 3.1kW
	<ul> <li>Total Connected Load: 7.4kW</li> </ul>
	<ul> <li>Voltage: 220-240V</li> </ul>
	Frequency: 50-60Hz
	Features
(mm)	• 2 induction zones with PowerBoost
	Front touch controls
	Individual timers for each cooking
(mm)	zone
	• Auto safety cut-off and child lock
	functions
	Individual residual heat indicators
	Stop+Go functions
	• 14-level Power Setting
	Black Ceran Glass
	Cooking Zone Power: 1.2kW/ 2kW
	<ul> <li>Total Connected Load: 3.2kW</li> </ul>
	· Voltage: 220-240V
	Frequency: 50-60Hz
	Features
(mm)	<ul> <li>2 powerful zones with 3.7kW booster</li> </ul>
	for front zone
	Precise heat setting with 14 power
(mm)	levels <ul> <li>Stop+Go function</li> </ul>
	<ul> <li>Individual timer for each cooking</li> </ul>
	zone
	Auto safety cut-off and child lock
	<ul> <li>functions</li> </ul>
	<ul> <li>14-level Power Setting</li> </ul>
	Black Ceran Glass
	Cooking Zone Power: 1.4kW/ 2.3kW
	Total Connected Load: 3.7kW

- Voltage: 220-240V
- Frequency: 50-60Hz



60cm UltimateTaste 300 built-in ceramic hob with 4 cooking zones

#### EHEC65BS



**Technical info** 

Product dimensions (mm) 610 (W) x 515 (D)

Cut-out dimensions (mm) 560 (W) x 55 (H) x 490 (D)

#### Features

- Dual ring zone
- · 4 rapid power zones (max. 2.2kW)

Ceramic

as radiant hob, has a similar

because of the ceramic glass

surface. When the hob get heated, the cooking zones on

extremely hot. There is no need to guess which pot you

types of pots.

look to induction hobs

hobs

- · 7 heat control power settings
- Individual residual heat indicators
- · Auto safety cut-off function
- · Black Ceran Glass
- · Cooking Zone Power: 2.2kW/ 1.8kW/ 1.2kW x 2
- · Total Connected Load: 6.4kW
- · Voltage: 220-240V
- Frequency: 50Hz

70cm UltimateTaste 300
built-in ceramic hob
with 2 cooking zones

EHC7240BA

**Technical info** 

Product dimensions (m 700 (W) x 420 (D)

Cut-out dimensions (m 680 (W) x 55 (H) x 400



30cm UltimateTaste 300 built-in ceramic hob with 2 cooking zones

EHC325BA



m)	<ul> <li>2 rapid power zones (max. 1.8kW)</li> </ul>
	<ul> <li>Precise heat setting with 14 power</li> </ul>
	levels
m)	<ul> <li>Front touch slide controls</li> </ul>
,	<ul> <li>Individual timers for each cooking</li> </ul>
(D)	zone
	<ul> <li>Residual heat indicators</li> </ul>
	<ul> <li>Auto safety cut-off functions</li> </ul>
	Child lock functions
	<ul> <li>Stop+Go functions</li> </ul>
	<ul> <li>14-level Power Setting</li> </ul>
	Black Ceran Glass
	Cooking Zone Power: 1.2kW/ 1.8kW
	<ul> <li>Total Connected Load: 3.0kW</li> </ul>
	<ul> <li>Voltage: 220-240V</li> </ul>

Features

• Frequency: 50-60Hz

#### es

Technical info	Featur
Product dimensions (mm)	· 2 raj
300 (W) x 52 (H) x 520 (D)	· perf
	· Prec
Cut-out dimensions (mm)	leve
270 (W) x 52 (H) x 490 (D)	· Touc

- apid power zones for superior
- formance
- cise heat setting with 9 power els
- uch electronic control functions
- · Auto safety cut-off and child lock functions
- · 9-level Power Setting
- Black Ceran Glass
- · Cooking Zone Power: 1.2kW / 1.8kW
- Total Connected Load: 3.0kW
- · Voltage: 220-240V
- Frequency: 50-60Hz

# Portable Induction Cooker

Touch control

Lets you easily control the cooker with 2 pre-set programmes.

**Pot detection sensor** Switches off the cooker when there is no pot in place.

**180-minute timer** Allows for long simmering time when needed.

**Child lock** Gives you added safety and protection.

Portable induction cooker

ETD42	SKA		
1			
199	1		
-		W. T. A.	
	1.1		

Portable induction cooker

ETD29PKB





 Technical info
<b>Product dimensions (mm)</b> 290 (W) × 42 (H) × 360 (D)

Technical info

Product dimensions (mm)

280 (W) x 62 (H) x 358 (D)

Features

- $\cdot$  Easy-to-clean Ceran glass surface
- 8 power levels
- Touch control with 6 pre-set
  programmes
- 180-minute timer
- Pot detection sensor
- $\cdot$  Auto cut-off and child lock
- · Extra long 2m cable
- Pot included

- · Easy-to-clean Ceran glass surface
- · 8 power levels
- Touch control with 2 pre-set
  programmes
- · 180-minute timer
- · Pot detection sensor
- · Auto cut-off and child lock
- · Extra long 2m cable
- Pot included

