





## Pure A9

Tailored air purification

## Pure A9 Clean and healthy fresh air at home

Simple and yet

Reach all corners of the room. With the AirSurround system your Pure A9 reaches up to 3 times higher clean air delivery rate than previous generations. It creates a powerful yet smooth spiral movement of the indoor air that efficiently circulates and cleans the air in your home.



Breath cleaner air with 360° filtration technology purifying the air with a 5-layer air filter that will get rid of bad odors and filters dust particles as small as PM1.0 including effectively inhibiting allergenic bacteria.















Monitor and optimize your home air quality from the app, **Electrolux Pure A9,** your air quality assistant.

DOWNLOAD AT Available on the App Store



- Google play
- Information on indoor air quality
- Real-time outdoor air quality updates
- Silent with 16.5 dBA of its lowest potential operating noise level

\* Sound detection when standing in front of the air-purifier while running at level 1 speed.



### **PureSense**

Smart Air Purification System Measures indoor and outdoor air quality and automatically adjusts air purification for keep the air clean all the time.



- LED Touch Screen
- Easy command with Remote Control



#### Automatically adapts to changes in your environment.



#### PureSense System

The unique PureSense system continuously measures indoor and outdoor air quality levels and automatically adjusts the air purification rate so that you come home to a healthy indoor environment.



#### Air Surround System

AirSurround system creates a powerful yet smooth spiral movement of the indoor air that efficiently circulates and cleans the air more efficiently than previous generations.



#### **Tailored filtration**

Tailor your Pure A9 to your personal and seasonal needs with our 360 filters and 5 stages purification. Each filter has a unique smart tag that keeps track of its usage. Even if you remove a filter and re-install it the next season it will automatically recognize the remaining lifetime. (\*Anti-bacterial -99.99%)



#### Quietly smart

With a minimum noise level of just 17 dB(A)\*(400/600CADR) your Pure A9 runs so silent you will hardly notice it. Even at maximum speed the noise level is just 49 dB(A)\*(600CADR) and 26db(A) (400CADR) more silent than your dinner conversation at home.



#### Continuous monitoring

Whether you are home or on the go, monitor and optimize your home air quality from the app or sit back and let Pure A9 do it for you. Check the job done on a given timeframe, get smart summaries or simply adjust your preferences. The Pure A9 app is the perfect air quality assistant



#### Swedish design

Inspired by contemporary Scandinavian design, your air purifier will be an integral part of your home environment



Certification by ECARF





PA91-406GY

PA91-606DG

Display	Electronic with TFT screen Electronic with TFT scre		
CADR, Smoke (AHAM)	472 m³/h	688 m³/h	
Room area served (AHAM)	61 m <sup>2</sup>	88 m²	
Noise Pressure [1m front]	17 - 46 dB(A) 16 - 49 dB(A)		
PM sensor (PM 1, 2.5 and 10)	Yes	Yes	
Other sensors	TVOC, Temperature, Humidity, Light, Air quality, RFID (filter life) sensor	TVOC, Temperature, Humidity, Light, Air quality, RFID (filter life) sensor	
Connectivity	WiFi, 2.4GHz WiFi, 2.4GHz		
Unit Size, (HxWxD), mm	565 x 315 x 315 725 x 315 x 315		
Net weight	7.9kg	8.9kg	



## Flow Series Clean air automatically


Compact yet powerful. Experience the superior fresh air.

## Give the superior air with the 3-layer filter technology.

- Pre-Filter: traps large dust particles
- Anti-Bacterial HEPA: filters dust and eliminates bacteria particles 0.3 microns
- Activated Carbon: gets rid of bad odors







#### Clean Air. Automatically.

Key features.

#### Responsive to your needs

The Flow A3/A4 uses laser particle sensors to evaluate air quality and automatically adjusts fan speeds as conditions change. This means that you can enjoy cleaner air without worrvina about adjustina settinas.

#### Efficient and thorough filtration

Flow A3/A4 is equipped with a multi-stage filter that captures micro-dust(i.e. PM 2.5) odours(I.e. Acetaldehyde) and harmful airborne substances (i.e. Formaldehyde) and lets you know in 2 stages of alert when the filter needs replacement.\*

#### Powerful yet smooth air circulation

The spiral outlet creates a robust whirl of cleaner air tha circulates the air in the room efficiently and reaches within an area of 26-53m<sup>2</sup>.\*\*

#### Intuitive and accessible

The Flow A3/A4's simple and intuitive touch UI makes interaction easy to adjust air quality levels you desire

#### Efficiently quiet

Made to fit smaller rooms, Flow A3/A4 has a minimum noise level of just 19 dB(A)\*\*\* when used in Sleep Mode function. Even at maximum speed the noise level is 52 dB(A).\*\*\*

# LED Touch Screen Easy to command at fingertips





\*Estimated filter lifetime is up to 6 months depending on usage. \*\*Room size with a CADR for smoke of 415 m3/ hour. Based on Japan's JEM regulations of air changes per hour. \*\*\*Measured Im on top of the product.



Air Purifier Technical info		Features —		
FA31-202GY	Product dimensions (mm)	<ul> <li>Coverage area: 26m²</li> </ul>		
Flow A3	380(H) x 240(W) x 240(D)	· CADR: 203m³/hr		
		<ul> <li>Power consumption at max level:20W</li> </ul>		
		· Real-time IAQ Indicator		
		· Touch UI		
		· SLEEP Mode		
		· Auto Mode		
		· LED Filter Indication		
		<ul><li>PM Sensor Laser (PM 1, 2.5 and 10)</li></ul>		
		· 3 Stage filtration		
		· Anti-bacteria: 99.99%		
Air Purifier	Technical info	Features		
FA41-402GY	Product dimensions (mm)	Coverage area: 53m²		
<b>FA41-402GY</b> Flow A4	Product dimensions (mm) 580(H) × 320(W) × 320(D)			
	•	· Coverage area: 53m²		
	•	<ul> <li>Coverage area: 53m²</li> <li>CADR: 415m³/hr</li> <li>Power consumption at max</li> </ul>		
	•	<ul> <li>Coverage area: 53m²</li> <li>CADR: 415m³/hr</li> <li>Power consumption at ma: level:45W</li> </ul>		
	•	<ul> <li>Coverage area: 53m²</li> <li>CADR: 415m³/hr</li> <li>Power consumption at max level:45W</li> <li>Real-time IAQ Indicator</li> </ul>		
	•	<ul> <li>Coverage area: 53m²</li> <li>CADR: 415m³/hr</li> <li>Power consumption at max level:45W</li> <li>Real-time IAQ Indicator</li> <li>Touch UI</li> </ul>		
	•	<ul> <li>Coverage area: 53m²</li> <li>CADR: 415m³/hr</li> <li>Power consumption at maxilevel: 45W</li> <li>Real-time IAQ Indicator</li> <li>Touch UI</li> <li>SLEEP Mode</li> </ul>		
	•	<ul> <li>Coverage area: 53m²</li> <li>CADR: 415m³/hr</li> <li>Power consumption at max level: 45W</li> <li>Real-time IAQ Indicator</li> <li>Touch UI</li> <li>SLEEP Mode</li> <li>Auto Mode</li> </ul>		
	•	<ul> <li>Coverage area: 53m²</li> <li>CADR: 415m³/hr</li> <li>Power consumption at maxilevel:45W</li> <li>Real-time IAQ Indicator</li> <li>Touch UI</li> <li>SLEEP Mode</li> <li>Auto Mode</li> <li>LED Filter Indication</li> <li>PM Sensor Laser (PM 1, 2.5</li> </ul>		
	•	<ul> <li>Coverage area: 53m²</li> <li>CADR: 415m³/hr</li> <li>Power consumption at maxlevel: 45W</li> <li>Real-time IAQ Indicator</li> <li>Touch UI</li> <li>SLEEP Mode</li> <li>Auto Mode</li> <li>LED Filter Indication</li> <li>PM Sensor Laser (PM 1, 2.5 and 10)</li> </ul>		



#### Cool air. Made clean.

Relax, recharge and enjoy the freshest environment with the Vita Air Conditioner from Electrolux. While keeping your home cool, it's also ensure you breathe cool, clean, and healthy air at all times.

#### The assurance of clean, cool air

High Density(HD) Filter ensures the quality of air you breathe in is cool, clean, and healthy be removing dust and pet's hair at home.

#### Breathe fresher clean air for long

Come home to clean and healthy fresh air with the Vita Cool Air Conditioner from Electrolux. Its efficient filter cleans and purifying function absorbs vapours and other unpleasant odours, while removing dust and mildew for a healthier environment.

#### **Constant coolness**

Luxuriate in coolness constantly within your chosen temperature by simply keeping the I-Feel function's remote control sensor close to you.

#### Coolness with durability

Blue Tech shield provides premium protection against corrosion, giving a long-lasting, full performance while you enjoy a cool and clean environment.



## CONSTANT COOLNESS WITH I-FEEL

Luxuriate in constant coolness by simply keeping the remote control next to you, thanks to the I-Feel sensor in it.







Contributes 68% Less to Global Warming\*



No Ozone Depletion



For cleaner air over the long haul, the X-Fan activates when you turn off the machine by automatically removing excess moisture.



#### **BREATH FRESHER AIR WITH I-CLEAN**

Wind down in a cool environment with less often professional cleaning, thanks to I-Clean that cleans moist particles.





ir Conditioner	Product
----------------	---------

#### Product Dimensions (mm)

#### Technical Info

#### ESM18CRR-B3

108cm Vito

Indoor Unit - 1082(W) X 232(D) X 330(H)

Outdoor Unit - 800(W) X 315(D) X 545(H)

- · Cooling Capacity: 18000 BTU/h
- Dehumidification: 2.00 /hour
- · Operating Temperature: 16-32°C
- · R32 Refrigeration
- · Volts/Hertz: 220-240V/50Hz
- Low/High Pressure: 2.5/4.3 Mpa
- Power Input (Cool): 2200W
- Fan Speeds (Cool/Fan): 4x/3:

#### ESM12CRR-B3

84cm Vito

Indoor Unit - 837(W) X 205(D) X 296(H)

Outdoor Unit - 730(W) X 285(D) X 545(H)

- · Cooling Capacity: 12000 BTU/h
- Dehumidification: 1.30 /hou
- Operatina Temperature: 16-32°C
- · R32 Refrigeration
- Volts/Hertz: 220-240V/50Hz
- · Low/High Pressure 2 5/4 3 Mpc
- Power Input (Cool): 1600W
- Fan Speeas (Cool/Fan): 4x/3x

#### ESM09CRR-B3

70cm Vita

Indoor Unit - 700(W) X 200(D) X 285(H)

Outdoor Unit - 730(W) X 285(D) X 545 (H)

- · Cooling Capacity: 9000 BTU/h
- Denumialication: 1.00/nour
- Operating Temperature: 16-32°C
- R32 Refrigeration
- Volts/Hertz: 220-240V/50Hz
- Low/High Pressure: 2.5/4.3 Mpc
- Power Input (Cool): 890W
- Fan Speeds (Cool/Fan): 4x/3x

14 Cc

#### **Air Conditioners**

Cleaner, healthier air





#### Cool Thought

Regularly using an air conditioner with a good filtration system will give an overall effect of improved air quality in the home and better health benefits for all to enjoy.




Active Pure is an innovative 8-step filtration system helps eliminate 99% of bacteria for cleaner, healthier air.

Found only in Vita+ range.

Eliminates

#### 8-step **Active Pure** for Vita+



\*Based on KITASATO lab test.



The Goldtech Protection feature prevents corrosion and provides anti-microbial protection.

\*Found only in Vita+ range.



Enhance your comfort and well-being every day with Electrolux Air Conditioners.



#### **Active Plasma**

Ion helps eliminate virus and bacteria.

\*Found only in Vita+ range.



#### I FEEL

Detects and consistently regulates your desired temperature.

SEA 2.7 E. 0

## Vita Inverter Air Conditioners



A *	_	111	
Air	$-\alpha$	TO III	ner.

#### Product Dimensions (mm)

#### Technical Info

#### ESV18CRH-A1

108cm Vita + Inverter

Indoor Unit - 1082(W) X

Outdoor Unit - 800(W) X

- · Cooling Capacity: 18000 BTU/h

- · Approximately Cool Area: 23-24 sqm

#### ESV12CRH-A1

84cm Vita + Inverter

Indoor Unit - 837(W) X

Outdoor Unit - 730(W) X

- · Cooling Capacity: 12000 BTU/h
- · Operating Temperature: 16-30°C

- · Approximately Cool Area: 16-24 sqm

#### ESV09CRH-A1

Indoor Unit - 700(W) X 200(D) X 285(H)

Outdoor Unit - 730(W) X

- · Cooling Capacity: 9000 BTU/h





# Water Heaters Refreshingly perfect showers 15 Safety Features

#### **Earth Indicator**

A beautifully stylish and slim Scandinavian design will blend seamlessly into your bathroom.

#### IP25

Complies with IP25 Safety Standard to prevent water and dust from going into the unit.

#### **Built-in Auto Flow Sensor**

Prevents overheating by detecting the water flow. Automatically stops the water heater if the water flow is too low

#### **ELCB**

Highly sensitive ELCB cuts off the electricity power supply even the small amount of leakage is detected.

#### **Double Action Thermostat**

Automatically cuts off and resets with Double Action Thermostat if water temperature exceeds a set limit.

#### Cable Seal Water Protection

Prevents the short circuit caused by water leaking into the unit.

#### Water Filter (Single 3-in-1 Valve)

Prevents overheating caused by dirt entering into the unit and pipe blockage.

#### Earth Wire

Earth wire ready in the unit for further connecting to the Earth wire of buildings.

#### **Double Relay Circuit**

Double Safety by cutting off both Neutral and Live lines when the electricity leakage.

#### **Surge Protector**

Prevents mishap and protects the heater components from damage.

#### SafeReady™

Automatically conducts safety check of your water heater when the heater is switched on.

#### 10 Year Warranty Tank Leakage

Offers a 10 Year Warranty on heat tank water leakage.

#### **ELCB Checker**

Test and Reset buttons on the unit to check ELCB for safety reason.

#### Auto Reset Thermostat (Overheat)

Automatically resets the thermostat when the electricity power supply is cut off in order to prevent the overheating.

#### Heat and Flame Retardant PCB

PCB with high resistance to heat and flame

#### ComfortFlow™ Water Heaters

## Stable temperature, complete comfort\*

Long, short, hot or cold, you count on Electrolux for temperature stability, however you prefer to shower. The ComfortFlow™ tank absorbs excess heat to keep the water temperature that is 100% more stable than previous models\* so that you can always bathe in absolute comfort. Even if your water supply fluctuates, the Dynamic Power Control system maintains the temperature by automatically adjusting the heating power.

#### ComfortFlow™ Tank

By absorbing excess heat, the ComfortFlow™ tank delivers a best in-class shower experience with double the temperature stability compared against previous models\*.

#### **Dynamic Power Control**

Dynamic Power Control optimises temperature regardless of water supply fluctuation.

#### 15 Safety Features

15 advanced safety features provide the utmost assurance for you to bathe in comfort.

#### 10 Year Warranty

ComfortFlow™ water tank is guaranteed with a 10 year warranty.

#### **EcoShower**

The EcoShower functionality allows water to by pass the heater and saves electricity when the shower is not in use. This is great for the environment, whilst also saving you money on utility bills.

#### Scandinavian Design

A beautifully stylish and slim Scandinavian design will blend seamlessly into your bathroom.

#### SafeReady®

SafeReady® by testing electronics before every use.

#### **Touch Screen**

Smart Touch screen shows temperature and water consumption data for easy adjustment.

#### **LED Heat Indicator**

LED heat indicator shows when your desired water temperature level is reached.

#### 4-way power up

No matter how your bathroom's power supply is configured, the 4 inlets provide ease of installation. That means you don't have to drill holes and run electrical wiring through walls.

Results may vary depending on water temperature.



#### Water Heater

EWE361MA-DST1 (AC Pump) EWE361MB-DST1 (DC Pump)

ComfortFlow™ 800

#### Technical info

Product Dimensions (mm) 220(W) x 401(D) x 80(H)

#### Features

- 100% more stable water temperature
- Dynamic Power Control optimizes temperature
- Smart touch screen for easy adjustment
- SafeReady® by testing electronics before use
- EcoShower saves electricity when heater is not in use
- 15 advanced safety features
- Anti-bacteria rain shower set
- Big high-quality copper tank with 10 years warranty

Water Heater

#### Technical info

#### **Features**


#### Technical info

#### **Features**

EWE361LX-DBX4 ComfortFlow™ 700

#### **Product Dimensions** (mm)

220(W) x 401(D) x 90(H)



- · LED heat indicator
- · SafeReady® by testing electronics before use.
- · 15 advanced safety features
- · Ease of installation with 4-way power inlets
- · Anti-bacteria 5-step shower head
- · Big high-quality nylon tank with 10 year warranty



#### **Product Dimensions** (mm)

220(W) x 401(D) x 90(H)

· 100% more stable water temperature

- · LED heat indicator
- · SafeReady® by testing electronics before use.
- · 15 advanced safety features
- · Ease of installation with 4-way power inlets
- · Anti-bacteria 5-step shower head
- · Big high-quality nylon tank with 10 year warranty
- · AC pump



#### Water Heater

Water Heater

EWE361LA-DAX4

ComfortFlow™ 700

#### Technical info

(mm)

#### **Features**

#### EWE361LB-DIX4 ComfortFlow™ 700

#### **Product Dimensions**

220(W) x 401(D) x 90(H)

- · 100% more stable water temperature
- · LED heat indicator
- · SafeReady® by testing electronics before use.
- · 15 advanced safety features
- · Ease of installation with 4-way power inlets
- · Anti-bacteria 5-step shower head
- · Big high-quality nylon tank with 10 year warranty
- · DC pump





22 23

#### Water Heater Technical info **Features** Water Heater Technical info **Features** EWE361KX-DWX5 EWE361KA-DWB6 **Product Dimensions** · 100% more stable water **Product Dimensions** · 100% more stable water ComfortFlow<sup>™</sup>500 (mm) temperature ComfortFlow<sup>™</sup> 500 (mm) temperature · SafeReady® by testing · SafeReady® by testing 220(W) x 401(D) x 90(H) 220(W) x 401(D) x 90(H) electronics before use. electronics before use. · Ease of installation with · Ease of installation with 4-way power inlets 4-way power inlets (0) · 15 advanced safety · 15 advanced safety 80 features features · Stylish and slim · Stylish and slim Scandinavian design Scandinavian design · Anti-bacteria shower · Anti-bacteria shower head head · Big high-quality nylon · Big high-quality nylon tank with 10 years tank with 10 years warranty warrantv · AC pump Technical info Water Heater Technical info **Features** Water Heater **Features**

EWE361KX-DWB5 ComfortFlow<sup>™</sup> 500

#### **Product Dimensions** (mm)

220(W) x 401(D) x 90(H)



- · 100% more stable water temperature
- · SafeReady® by testing electronics before use.
- · Ease of installation with 4-way power inlets
- · 15 advanced safety features
- · Stylish and slim Scandinavian desian
- · Anti-bacteria shower head
- · Big high-quality nylon tank with 10 years warranty

#### **Product Dimensions** (mm)

EWE361KA-DWP6

ComfortFlow<sup>™</sup> 500

220(W) x 401(D) x 90(H)

(0)

- · 100% more stable water temperature
  - · SafeReady® by testing electronics before use.
  - · Ease of installation with 4-way power inlets
  - · 15 advanced safety features
  - · Stylish and slim Scandinavian desian
  - · Anti-bacteria shower head
  - · Big high-quality nylon tank with 10 years warranty
  - AC pump

24 25

#### Water Heater

#### Technical info

#### **Features**

#### EWE361KA-DWG6 ComfortFlow™ 500

#### **Product Dimensions** (mm)

220(W) x 401(D) x 90(H)

- · 100% more stable water temperature
- · SafeReady® by testing electronics before use.
- · Ease of installation with 4-way power inlets
- · 15 advanced safety features
- · Stylish and slim Scandinavian design
- · Anti-bacteria shower head
- · Big high-quality nylon tank with 10 years warranty
- · AC pump



#### Water Heater

EWE361KA-DWG1

ComfortFlow™ 500

#### Technical info

#### **Features**

#### **Product Dimensions** (mm)

220(W) x 401(D) x 90(H)

- · 100% more stable water temperature
- · SafeReady® by testing electronics before use.
- 4-way power inlets
- features
- · Stylish and slim
- · Anti-bacteria rain shower set



#### Water Heater

#### Technical info

#### **Features**

#### EWE361KB-DWB1 ComfortFlow™ 500

#### **Product Dimensions** (mm)

220(W) x 401(D) x 90(H)



- · 100% more stable water temperature
- · SafeReady® by testing electronics before use.
- · Ease of installation with 4-way power inlets
- · 15 advanced safety features
- · Stylish and slim Scandinavian design
- · Anti-bacteria rain shower set
- · Big high-quality nylon tank with 10 years warranty
- DC pump



· Ease of installation with

- · 15 advanced safety
- Scandinavian design
- · Big high-quality nylon tank with 10 years warranty
- · AC pump

26 27



#### MALAYSIA

Electrolux Home Appliances Sdn. Bhd. - 198801008304 (175660-T)

7th Floor, Tower 2, PJ33,

No.3, Jalan Professor Khoo Kay Kim,

Seksyen 13, 46200 Petaling Jaya,

Selangor Darul Ehsan, Malaysia.

Tel: +603-78435999

Fax: +603-79555511

Website: www.electrolux.com.my

Follow us on

facebook.com/ElectroluxMalaysia



👔 instagram.com/ElectroluxMY



#### CONSUMER CARE CENTRE

Lot C6, No.28, Jalan 15/22,

Taman Perindustrian Tiong Nam,

Seksyen 15, 40200 Shah Alam, Selangor.

Customer Care Hotline: 1-300-88-1122

Tel: +603-55250800 Fax: +603-55242521

E-mail: malaysia.customercare@electrolux.com

#### SINGAPORE

Electrolux SEA Pte Ltd

No. 1, Fusionopolis Place,

Galaxis #07-10,

Singapore 138522.



Customer Care Services: +(65) 6727 3699

Fax: +(65) 6727 3611

E-mail: customer-care.sin@electrolux.com

Website: www.electrolux.com.sg

Follow us on facebook.com/ElectroluxSingapore





Dealer's Stamp

Version: 2020-08